


# 330 OUTRAGE

2016 MODEL YEAR



## 2016 SPECIFICATIONS

- > L.O.A.: 33' 1" (10.08 m)
- > Beam: 10' 2" (3.10 m)
- > Draft: 22" (0.55 m)
- > Weight (dry, no engine): 9,000 lbs (4,083 kg)
- > Maximum Weight Capacity: 4,140 lbs (1,878 kg)
- > Swamped Capacity: 4,260 lbs (1,932 kg)
- > Persons Capacity: 14
- > Maximum Horsepower: 700 hp (522 kW)
- > Minimum Horsepower: 500 hp (373 kW)
- > Deadrise at Transom: 23
- > Fuel Capacity: 300 gallons (1,135 L)
- > Waste Capacity: 6.5 gallons (24.6 L)
- > Water Capacity: 40 gallons (151 L)
- > Maximum Engine Weight: 1,400 lbs (635 kg)
- > Transom Height: 30" (0.76 m)
- > Transom Angle: 15°
- > Bridge Clearance with Top: 9' 10" (3 m)



## STANDARD EQUIPMENT

All hardware 316-L stainless steel  
All rails welded 316-L stainless steel

## DECK / COCKPIT

8" stainless steel cleats – anchor locker (1)  
8" stainless steel pop-up cleats – cross tie cleats at transom (2)  
10" stainless steel cleats – bow (2), spring line with hawse pipes (2), stern with hawse pipes (2)  
28" interior freeboard  
Bow and stern eyes  
Cockpit coaming bolsters  
Covered telescoping swim ladder with stainless steel grab rail  
Dedicated storage for dive ladder  
Grab rails – forward lounge (2), leaning post (2)  
Hawse pipes (2) with drink holders at stern  
Heavy-duty rub rail  
Low profile interior bow rail – welded stainless steel  
Molded fiberglass portside dive/boarding door with removable stainless steel dive ladder  
Motorwell drains  
Rod holders – gunnel mounted (8)  
Rod holders – transom mounted (3)  
Self-bailing cockpit  
Stainless steel thru hull anchor roller davit  
Toe rails – stainless steel (2 per side)  
Transom door with stainless steel latch  
Windlass with 200' rode, 25' chain and galvanized plow anchor

## CONSOLE / HEAD

12-V receptacle  
Acrylic entry door with lock  
Cast stainless steel steering wheel with knob  
Compass  
Drink holders (2)  
Electronics mounting surface with space for dual displays  
Electronics switch panel with illuminated switches  
Interior courtesy lights  
Molded console footrests and fold-down helm standing platform with molded-in non-skid surface  
Molded inner liner

Opening porthole with screen (1)  
Remote located circuit breaker panel  
Remote ignition key switches with pushbutton start at helm  
Sink with pullout sprayer  
Stereo – Fusion®, iPod/iPhone dock audio, AM/FM/USB audio/VHF/WX/Sirius XMTM ready, JL waterproof speakers (4), remote control at helm and USB/MPS input  
Storage cabinets  
VacuFlush™ toilet with holding tank, overboard discharge and dockside pump-out

## SEATING

Fold-away stern bench seat  
Forward console lounge (60" length) with flip-down armrests, 2 cup holders and recessed grab rails (2)  
Forward island deck seating with drink holders (2), bolsters and removable cushions  
Helm and companion bolster style seats with storage console

## HARD-TOP / WINDSHIELD SYSTEM

Bow area flood light  
Cockpit area flood lights (2)  
Dome light (red and white)  
Electronics box  
LED blue lighting  
Lifejacket storage  
Outrigger ready  
Rod holders (5)  
Tempered glass windshield with power actuated vent  
Windshield wiper with wash system

## STORAGE

Bow anchor locker with drain  
Glove box at helm  
Insulated in-floor fishboxes with pump-out (57 gallons) at aft (2)  
Lockable console front storage – holds 10 rods, optional 36 quart cooler and miscellaneous gear (optional scuba tank racks available for 4 tanks)  
Port aft storage at fishing prep area (can store a 5 gallon bucket)  
Under gunnel rod racks

# 330 OUTRAGE

2016 MODEL YEAR

## LEANING POST

Aft facing couch with convertible work surface  
 Drink holders (4)  
 Grab rails (3)  
 Leaning post storage under aft-facing seat (optional 40 gallon livewell)  
 Storage drawers (3)

## MECHANICAL

12-V receptacles (3)  
 300 CXXL L6 DTS Dual Mercury Verado FourStroke engines with hydraulic power steering (91 octane fuel recommended)  
 Fuel tank (300 gallon)  
 Automatic bilge pump and sump box (1,100 GPH forward, 2,000 GPH aft (2))  
 Battery trays (3) with switches  
 Engine fuel / water separators  
 Freshwater system (40 gallons) with sink in console, transom shower and anchor washdown  
 Instrumentation and electrical switch panel with circuit breaker protection  
 LED cockpit lighting (blue)  
 Livewell – transom on centerline (50 gallons)  
 Navigation lights  
 Raw water washdown  
 Shore power with battery charger and galvanic isolator  
 Stainless steel propellers  
 Tilt steering  
 Transducer mount areas  
 Variable running surface with single electric ram and indicator  
 Vessel View 4" (Mercury SmartCraft)

## NOTABLE OPTIONS/ ACCESSORIES

250 CXXL L6 DTS Dual Mercury Verado FourStroke engines with Joystick Piloting; outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad and functionality (Raymarine or other standalone optional autopilots not permitted with Joystick Piloting)  
 300 CXXL L6 DTS Dual Mercury Verado FourStroke engines with Joystick Piloting; outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad and functionality (Raymarine or other standalone optional

autopilots not permitted with Joystick Piloting)  
 300 CXXL L6 DTS Dual White Mercury Verado FourStroke engines with Joystick Piloting; outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad and functionality (Raymarine or other standalone optional autopilots not permitted with Joystick Piloting)  
 300 CXXL L6 DTS Dual White Mercury Verado FourStroke engines with hydraulic power steering (91 octane fuel recommended)  
 350 CXXL L6 DTS Dual Mercury Verado FourStroke engines with hydraulic power steering (91 octane fuel recommended)  
 350 CXXL L6 DTS Dual White Mercury Verado FourStroke engines with hydraulic power steering (91 octane fuel recommended)  
 350 CXXL L6 DTS Dual Mercury Verado FourStroke engines with Joystick Piloting; outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting) (91 octane fuel recommended)  
 350 CXXL L6 DTS Dual White Mercury Verado FourStroke engines with Joystick Piloting; outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting) (91 octane fuel recommended)  
 12/120V cockpit refrigerator (available in STD or Optional Leaning Post)  
 12-V DC receptacles at transom for electric reels / downriggers (2)  
 Aft bilge storage  
 Aft cockpit table with teak overlay  
 Anchor windlass chain (150')  
 Bow sunshade  
 Bow table with teak overlay  
 Bow thruster (12-V)  
 Bow tow eye  
 Cockpit sunshade (retractable)  
 Dynamic Running Surface (DRS) – self leveling tab system  
 Fold-down trolling seats (2)  
 Leaning post livewell (40 gallon) (with standard leaning post only)  
 Premium audio (JL stereo)  
 Radial outriggers (hard-top mounted)

Red, blue or black graphics, striping and logos  
 Satellite radio – Sirius® satellite receiver with antenna  
 Scuba tank racks (4)  
 Split bow rail (replaces low profile bow rail) (not compatible with full helm canvas enclosure or wing curtains)  
 Spotlight  
 Stainless steel anchor  
 Stainless steel bow rail (replaces low profile bow rail) (not compatible with full helm canvas enclosure or wing curtains)  
 Sun lounge filler (must select bow table)  
 Underwater LED lighting  
 Vessel View 7" (Mercury SmartCraft) (color LCD display) (network connections to Raymarine with Navigation Package)  
 White rub rail with stainless steel inserts

## LEANING POST WITH COOLER

Storage drawers (3)  
 Cutting board  
 Sink  
 Storage lid with knife holder and tackle storage rack  
 Yeti cooler with dedicated storage

## SUMMER KITCHEN

*Must select leaning post with cooler*  
 Electric grill with 1500-watt inverter

## 12" RAYMARINE® eS127 ELECTRONICS / NAVIGATION PACKAGE

Raymarine eS127, 12.1" screen (GPS, chart plotter, fishfinder)  
 1000 watt thru hull transducer  
 Available Chart Cards:  
 Lighthouse Charting – US – Coastal

## 12" RAYMARINE® eS128 ADDITIONAL DISPLAY ELECTRONICS PACKAGE

*Must select a navigation package*  
 Raymarine eS128, 12.1" screen (GPS, chart plotter, fishfinder)  
 Chirp Downvision Sonar

## 12" RAYMARINE® gS125 ELECTRONICS / NAVIGATION PACKAGE

Raymarine gS125, 12.1" screen (GPS, chart plotter, fish-



# 330 OUTRAGE

2016 MODEL YEAR

finder)  
1000 watt thru hull transducer  
Available Chart Cards:  
Lighthouse Charting – US – Coastal

## 12" RAYMARINE® gS125 ADDITIONAL DISPLAY ELECTRONICS PACKAGE

*Must select a navigation package*  
Raymarine gS125, 12.1" screen (GPS, chart plotter, fishfinder)

## 15" RAYMARINE® E165 ELECTRONICS / NAVIGATION PACKAGE

Raymarine E165, 15.4" screen (GPS, chart plotter, fishfinder)  
1000 watt thru hull transducer  
Available Chart Cards:  
Lighthouse Charting – US – Coastal

## 15" RAYMARINE® E165 ADDITIONAL DISPLAY ELECTRONICS PACKAGE

*Must select a navigation package*  
Raymarine E165, 15.4" screen (GPS, chart plotter, fishfinder)

## 15" RAYMARINE® gS165 ELECTRONICS / NAVIGATION PACKAGE

Raymarine gS165, 15.4" screen (GPS, chart plotter, fishfinder)  
1000 watt thru hull transducer  
Available Chart Cards:  
Lighthouse Charting – US – Coastal

## 15" RAYMARINE® gS165 ADDITIONAL DISPLAY ELECTRONICS PACKAGE

*Must select a navigation package*  
Raymarine gS165, 15.4" screen (GPS, chart plotter, fishfinder)  
Dash surface – custom black acrylic integrated with switch panels

## CHIRP DOWNVISION SONAR

*Must select a navigation package*  
Raymarine CPI00 Sonar  
CPT100 transom mount transducer

## RADAR - RADOME

*Must select a navigation package*  
Raymarine 4 kW 24" high definition digital radome

## RADAR – OPEN ARRAY

*Must select a navigation package*  
Raymarine 4 kW high definition digital radar with 48" open array antenna

## SATELLITE WEATHER

*Must select a navigation package*  
*Requires monthly subscription*  
Raymarine Sirius marine weather receiver

## VHF RADIO

Raymarine Ray260 modular VHF radio

## AUTOPILOT

*Must select a navigation package*  
*Not compatible with Joystick Piloting*  
Raymarine SmartPilot™ autopilot with 3.5" color TFT display

## COLORED HULLS

Abaco Blue (silver graphics)  
Fighting Lady Yellow (black graphics)  
Ice Blue (black graphics)  
Jadestone (silver graphics)  
Oyster Gray (black graphics)  
Platinum (black graphics)  
Sand Metallic (black graphics)  
Steel Blue (silver graphics)  
Wasabi (black graphics)

## CANVAS COVER PACKAGE

Black sunbrella  
Cockpit seatback cover  
Console cover, black  
Forward cushion covers, black  
Helm seat cover, black  
Storage garage cover, black

## CANVAS

Full canvas mooring cover from hardtop to fore and aft deck coverage

Hardtop enclosure curtains (full beam aft enclosure behind helm seating, wing curtains and side enclosure), white or black